

**Mitchell, Brian**

---

**From:** Mitchell, Brian  
**Sent:** Tuesday, September 18, 2018 10:17 AM  
**To:** 'Arnold, Doug'  
**Subject:** RE: Electrolux: Jefferson Property Update

Good chatting with you yesterday. EPA is fine with Electrolux applying for the Iowa Voluntary Clean Up Program and if they accept you then Iowa would become the lead on this site. Please copy us on your submittals to Iowa and their response.

Brian Mitchell  
RCRA Corrective Action Officer  
EPA Region 7  
AWMD/WRAP  
2.3 – P44  
11201 Renner Blvd  
Lenexa, Kansas 66219  
913-551-7633 work  
816-304-4158 cell

**From:** Arnold, Doug [mailto:Doug.Arnold@alston.com]  
**Sent:** Friday, September 14, 2018 7:22 AM  
**To:** Mitchell, Brian <Mitchell.Brian@epa.gov>  
**Subject:** Electrolux: Jefferson Property Update

Brian:

I am forwarding a table prepared by Golder Associates summarizing the laboratory analytical data from the first semi-annual groundwater monitoring event performed in July 2018. Figure 1 shows the monitoring well locations. Golder intends to perform the second semi-annual monitoring event in October or early November.

Also, is there a convenient time for you next Monday or Tuesday for a call to revisit next steps?

Doug

**Douglas S. Arnold | Alston & Bird LLP**  
Partner and Co-Chair,  
Environmental, Energy & Natural Resources Practice Group

RCRA



575557

1201 West Peachtree Street | Atlanta, GA 30309-3424

T: 404-881-7637 | F: 404-881-7777 | E: [doug.arnold@alston.com](mailto:doug.arnold@alston.com) | [www.alston.com/doug\\_arnold/](http://www.alston.com/doug_arnold/)

Atlanta | Beijing | Brussels | Charlotte | Dallas | Los Angeles | New York | Research Triangle | San Francisco | Silicon Valley | Washington DC  
19 Consecutive Years on Fortune® Magazine's "The 100 Best Companies to Work For"™

---

NOTICE: This e-mail message and all attachments may contain legally privileged and confidential information intended solely for the use of the addressee. If you are not the intended recipient, you are hereby notified that you may not read, copy, distribute or otherwise use this message or its attachments. If you have received this message in error, please notify the sender by email and delete all copies of the message immediately.